NH Public Utilities Commission

REC Aggregator Portal

MHPUC 21MAR 1648:52

New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.

Existing Users CLICK HERE	
Basic Information	
Who is submitting this request?	
Aggregator	
Aggregator Batch Number	
KE031516	
Are you registered in NH	
Yes No	
Aggregator name	
Knollwood Energy - 14625	
NH Reg#	
Aggregator Email	
karenton@knollwoodenergy.com	
Other Aggregator name	
Other aggregator email address	
Facility Name	
Facility Owner Name	
David Blaisdell	

Facility Owner email	
dblaisdell@gmail.com	
Owner Phone	
603-938-5976	
Facility Address	
2037 State Route 114	
Facility Town/City	
Bradford	
Facility State	
NH	
Facility Zip	
03221	
O No Mailing Address	
Mailing Town/City	
Mailing State	
Mailing Zip	
Primary Contact	
Karen Tenneson	
Primary Contact	
Facility Primary Contact	
karenton@knollwoodenergy.com	

Other Email Address
Facility Information
Class
Utility
Eversource
Other Utility Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON73344
Date of Initial Operation
12/04/2015
Facility Operator Name, if applicable
Panel Quantity
48
Panel Make
SunEdison
Panel Model
F270
Panel Rated Output
270
System capacity based on panels
12960

Inverter Quantity
48
Inverter Make
Enphase Energy
Add'l Inverter Quantity
NA
Additional Inverter Make
None
Rated Output - Primary Inverter
215
Retad Output Additional Inverter
Rated Output - Additional Inverter
System capacity based on single inverter make
10320
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
10.8
Revenue Grade Meter Make
AEE Solar
Was this facility installed directly by the customer (no electrician involved)?
O Yes
No No
Electrician Name & Number
Ken Kleczek 13781M
Other Electrician Name & Number
Installation Company
SunRay Solar

Other Installation Company Name
Other Inst. Company Address
Other Inst. Company City
Other Inst. Company State
Other Inst. Company Zip
Independent Monitor Name & Company
Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier?
Yes
O No
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-6334112_ulhDNzJQ_N4232_Blaisdell_PVCoC_1.pdf
The project described in this application will meet the metering requirements of PUC 2506 including:
Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent
monitor or a designated representative.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

A revenue quality meter is used to measure the electricity generated.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-168-6334112_IMiSQtQC_N4232_Blaisdell_PV_-_Processed

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-173-6334112_0MfRuiyb_David_Blaisdell_contract_part_3_-

Aggregator statement of accuracy

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Kon Jo

Print Name

Karen Tonnesen

Date Signed

03/15/2016

Eversource


Interconnection Standards For Inverters Sized Up To 100 kVA Exhibit B - Certificate of Completion for Simplified Process Interconnections

Installation Information: Check i	f owner-installed		
Customer or Company Name (print): David ar	nd Deborah Blaisdell		
Contact Person, if Company			
Mailing Address: 2037 State Route 114			
City: Bradford	State NH	Zip Code: 03221	
Telephone (Daytime): 603-513-8834	(Evening):		
Facsimile Number:	E-Mail Address: dbla	aisdell@gmail.com	
Facility Information:	Meter Number: S36877616		
Address of Facility (if different from above):			
City:	State:	Zip Code:	
Electrical Contractor Contact Information:			
Electrical Contractor's Name (if appropriate):	Ken Kleczek of SunRay So	plar, LLC	
Mailing Address: 124A Hall Street			
City: Concord	State: NH	Zip Code: 03301	
Telephone (Daytime): 603-225-6001	(Evening):		
Facsimile Number:	E-Mail Address: ker	n@spreadthesunshine.com	
License number: 13781M			
Date of approval to install Facility granted by the	Company:		
Eversource Application ID number: #N			
Inspection:			
The system has been installed and inspected in co	mpliance with the local Build	ding/Electrical Code of:	
City: Bradford		-	
Signed (Local Electrical Wiring Inspector, or attac			
Signature see attachment for signature	_		
Name (printed): Walter Loyal		Date:12/4/2015	
Customer Certification:			
I hereby certify that, to the best of my knowledge, Completion is true and correct. This system has b standards. Also, the initial start-up des required by Customer Signature	een installed and shall be ope	erated in compliance with applicable	
As a condition of interconnection you are required	to send/fax a copy of this fo	rm to:	

Eversource Distributed Generation 780 North Commercial Street P. O. Box 330, Manchester, NH 03105-0330

Fax No.: (603) 634-2924

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA



Simplified Process Interconnection Application and Service Agreement

		Eversour	ce Application Proje	ect ID#:	N 4232
Contact Information:					
Legal Name and Address of Interconnecting	ne Custom	er (or, Company na	me, if appropriate)		
Customer or Company Name (print):Da	-			-417	
Contact Person, if Companys	-				
Mailing Address: 2037 State Route 114					
City Bradford				Lip Code:	.03221
Telephone (Daytime): 603-513-8834				•	
Facsimile Number:					
			Links Tolland	- Walter	A CONTRACTOR OF THE PROPERTY O
Alternative Contact Information (e.g., S Name: SunRey Soler, LLC	70				propriate):
Mailing Address: 124A Hall Street	50 Table 100 Tab	ETITION COMMANDE AND DESCRIPTION	. 151.5.20.02.20.00.00	ing middle Physical	Works Commenced
City: Concord	States	New Hampshire		Zip Code	03301
Telephone (Daytime): 603-225-6001					
Facsimile Number:					
Mailing Address: 124A Hell Street City: Concord Telephone (Daytime): 603-226-6001	State	New Hampshire	Maria Ma	Zip Codef	03301
Facsimile Number:		F-Mail A	ddrese: Brian@spr	eadthesunsh	ine.com
Facility Site Information: Facility (Site) Address: _2037 State Rout					
City: Bradford	State;	NH,		Lip Code;	03221
Electric Service Company: Eversource	Accou	nt Number: <u>.56588</u>	811034	Meter Num	ber: S36877616
Account and Meter Number: Please consu Number on this application. If the facility					
Eversource Work Request #	- carains out		*		
Non-Default' Service Customers Only: Competitive Electric					
Energy Supply Company:			Account N	lumber:	
(Customer's with a Competitive Energy Su Supply Company.)					

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

Facility Machine Information:				
Generator/	Model Name			
Inverter Manufacturer: Enphase	Number:	215	Quantity	: 48
Nameplate Rating: 225	(kW)(kVA)	(AC Volts)	Phase: Single	Three
Nameplate Rating: The AC Namepla				
System Design Capacity:10.8	(kW)(kVA) Battery Backup: Yes	☐ No ☐	194111 1911
System Design Capacity: The system	total of the inverter AC ratings	. If there are multiple inver	ters installed in the sy	stem, this is the
sum of the AC nameplate ratings of a	ll inverters.			
Net Metering: If Renewably Fueled,	will the account be Net Metered	d? Yes No		18
Prime Mover: Photovoltaic	leciprocating Engine Fu	nel Cell Turbine	Other.	A CONTRACTOR OF THE PERSON OF
Energy Source: Solar Wind	Hydro Diesel Na	tural Gas Fuel Oil	Other	-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Inverter-based Generating Facilitie	25.			
UL 1741 / IEEE 1547.1 Compliant (I		ce Path For Inverter Units, P	art Puc 906.01 Inverte	er Requirements)
The standard UL 1741.1 dated May,	2007 or later, "Inverters, Conve	erters, and Controllers for U	se With Independent	Power
Systems," addresses the electrical into	erconnection design of various	forms of generating equipm	nent. Many manufact	turers choose to
submit their equipment to a National				
term "Listed" is then marked on provided by the inverter manufact				cumentation
External Manual Disconnect Switc	h:		*	
An External Manual Disconnect Swit	- MT.	nce with 'Part Pue QAS Techn	deal Peaninements Fo:	
Interconnections For Facilities, Puc 90:				
Yes No				
Location of External Manual Discour	ect Switch: outside next to	meter		
	(4) 1 (4) (4) (4) (4)	The control of the paper of the special state of th	and the same of th	Core in a second
Project Estimated Install Date: "Octo	ber 2015 Pr	roject Estimated In-Service	Date: October 201	5
Interconnecting Customer Signatur	C:			
I hereby certify that, to the best of my	knowledge, all of the informat	tion provided in this applica	ation is true and I agre	ee to the <u>Terms</u>
and Conditions for Simplified Proc	ers Interconnections attached	hereto:		
Customer Signature	Airos III para	+ Home Ow	Date:	9/18/2013
Please include a one-line and/or thre	ze-line diagram of proposed in	stallation. Diagram must	indicate the generato	r connection
point in relation to the customer serv				
returned.				
	For Eversource	re Ilea Öniv	10. 7. 20. 2	
Approval to Install Facility:	x or Eversoure	ic oac only		
Installation of the Facility is approved	Loontingant was the Torms on	d Conditions For Simplific	d Dunana Internaciona	otione efekin
Agreement, and agreement to any sys			a trocess minimoning	-doir of his
Are system modifications required?		Determined [
M.	10001	A		11/1
Company Signature:	W/Wa	Titles 19550C'A	Date:	91715
Puertourne SPIA rest 02/14		CASIRA	Pr- 2-E4	

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

Company waives inspection/Witness Test: Yes 🔳 No 🗌	Date of inspection/Witness Test:
--	----------------------------------

- 1. Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Eversource and Puc 900 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement, easements, rights of way, set back, or other physical contrutruction issues.
- 2. Interconnection and operation, The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.1. Numicipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.32 Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard, The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance: The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection.: The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
 - 6:1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination, This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement, The Parties agree in writing to terminate the Agreements
 - 9.2. By Interconnecting Customer, The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard, These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

David Blaisdell	
Printed Name of signature owner	
David Blaisdell	

Signature of system owner

David Blaisdell (Mar 8, 2016)